

LITES nv**www.lites.be****+32 2 254 88 00****Arri**

Focal	diaf	MOD	Image Circle	Front	m/ft	Weight	Lenght
Signature Primes							
25mm	1.8	0.35m	>43.3mm	114mm	m	1.9kg	178mm
29mm	1.8	0.35m	>43.3mm	114mm	m	1.8kg	178mm
35mm	1.8	0.35m	>43.3mm	114mm	m	1.7kg	178mm
40mm	1.8	0.35m	>43.3mm	114mm	m	1.8kg	178mm
47mm	1.8	0.45m	>43.3mm	114mm	m	1.8kg	178mm
58mm	1.8	0.45m	>43.3mm	114mm	m	2.0kg	178mm
75mm	1.8	0.65m	>43.3mm	114mm	m	1.9kg	178mm
95mm	1.8	0.85m	>43.3mm	114mm	m	1.9kg	178mm
125mm	1.8	1m	>43.3mm	114mm	m	2.3kg	178mm
200mm	2.5	1.8m	>43.3mm	114mm	m	3.1kg	218mm
MASTER PRIMES 24x							
14mm	1.3	0,35m	34mm	114mm	m/ft	2,4kg	
16mm	1.3	0,35m	34mm	114mm	m/ft	2,2kg	
18mm	1.3	0,35m	33.5mm	114mm	m/ft	2,2kg	
21mm	1,3	0,35m	35mm	114mm	m/ft	2,4kg	
25mm	1.3	0,35m	35mm	114mm	m/ft	2,3kg	
27mm	1.3	0,35m	35mm	114mm	m/ft	2,2kg	
32mm	1.3	0,35m	36.5mm	114mm	m/ft	2,3kg	
35mm	1.3	0,35m	40mm	114mm	m/ft	2,2kg	
40mm	1,3	0,4m	39mm	114mm	m/ft	2,3kg	
50mm	1,3	0,5m	43mm	114mm	m/ft	2,7kg	
65mm	1.3	0,65m	43mm	114mm	m/ft	2,6kg	
75mm	1.3	0,8m	43mm	114mm	m/ft	2,8kg	
100mm	1,3	1m	43mm	114mm	m/ft	2,9kg	
135mm	1,3	0,95m	43mm	114mm	m/ft	2,8kg	
150mm	1,3	1,5m	43mm	134mm	m/ft	4,1	
35mm ULTRA PRIMES 11x							
14mm / N	1.9	0,22m	31.5mm	114mm	m/ft	1,7kg	
16mm / J	1.9	0,25m	33mm	95mm	m/ft	1,2kg	
20mm / F	1.9	0,28m	38mm	95mm	m/ft	1,2kg	
24mm / H	1,9	0,3m	38mm	95mm	m	1kg	
28mm / F	1.9	0,28m	39.5mm	95mm	m/ft	1kg	
32mm / G	1.9	0,35m	43mm	95mm	m	1,1kg	
40mm / J	1.9	0,38m	41mm	95mm	m/ft	1kg	
50mm / J	1.9	0,6m	40mm	95mm	m/ft	1kg	
85mm / J	1.9	0,9m	43mm	95mm	m/ft	1,2kg	
100mm / H	1.9	1m	43mm	95mm	m/ft	1.2kg	
180mm / H	1.9	2,6m	43mm	114mm	m	2,6kg	

LITES nv**www.lites.be****+32 2 254 88 00****Zeiss**

Focal	diaf	MOD	Image Circle	Front	m/ft	Weight	Lenght
ZEISS SUPREME							
21mm	1.5	0,35	FF	95mm	m/ft	1,61	12,0cm
25mm	1.5	0.26	FF	95mm	m/ft	1.4kg	11,9cm
29mm	1.5	0.33	FF	95mm	m/ft	1.6kg	12,1cm
35mm	1.5	0.32	FF	95mm	m/ft	1.4kg	11,9cm
50mm	1.5	0.45	FF	95mm	m/ft	1.2kg	11,9cm
65mm	1.5	0,60	FF	95mm	m/ft	1,63kg	12,1cm
85mm	1.5	0.84	FF	95mm	m/ft	1.4kg	11,9cm
100mm	1.5	1.1	FF	95mm	m/ft	1.7kg	11.9cm
135mm	1.5	1.4	FF	114mm	m/ft	2,27kg	14,6cm
ZEISS COMPACT PRIMES 13x							
15mm CP2	2.9	12"	FF	114mm	ft		
18mm CP1	3,6	0,30m	S35	114mm	m	0,9kg	
21mm CP1	2,2	0,24m	FF	114mm	m	1kg	
25mm CP1	2,9	0,17m		114mm	m	0,9kg	
25mm CP2	2.1	0,26m	FF	114mm	m	0.9kg	
28mm CP1	2,1	0,24m		114mm	m	1kg	
35mm CP1	2,1	0,3m		114mm	m	1kg	
35mm CP2	1.5	0,3m	FF	114mm	m	1.1kg	
50mm CP1	1,5	0,45m		114mm	m	0,9kg	
85mm CP1	1,5	1m		114mm	m	1kg	
CF 100mm KL	2.1	0,7m	FF	114mm	m		
135mm N	2.1	1m	FF	114mm	m		
50mm Macro CP2	2.1	0,24m	FF	114mm	m		
ZEISS SS OLD MODEL 11x							
18mm	1.3	0,25m	S35	80mm	m	1,3kg	
25mm	1.3	0,25m	S35	80mm	m/ft	1,0kg	
35mm	1.3	0,35m	S35	80mm	m	1,0kg	
50mm	1.3	0,70m	S35	80mm	m	0,8kg	
65mm	1.3	0,70m	S35	80mm	m/ft	1kg	
85mm	1.3	0,90m	S35	80mm	m	1,2kg	
ZEISS STANDARD T							
12mm	2.1	0,25m	S35	134mm	m/ft		
16mm	2.1	0,25m	S35	80mm	m/ft		
20mm	2.1		S35	80mm			
24mm	2.1	0,35m	S35	80mm	m/ft		
28mm	2.1		S35	80mm			
32mm	2.1	0,6m	S35	80mm	m/ft		
40mm	2.1	0,4m	S35	80mm	m/ft		
50mm	2.1	0,45m	S35	80mm	m/ft		
85mm	2.1	0,9m	S35	80mm	m/ft		
100mm	2.1	1m	S35	80mm	m/ft		
135mm	2.1	1.5m	S35	80mm	m/ft		
180mm	2.8	1.5m	S35	80mm	m/ft		

LITES nv**www.lites.be****+32 2 254 88 00****COOKE**

Focal	diaf	MOD	Image Circle	Front diam	Scale	Weight	Lenght
COOKE S4/i							
12mm	2	0,25m	S35	156mm	m/ft	3,1kg	
14mm	2	0,25m	S35	110mm	m/ft	2,2kg	
16mm	2	0,22m	S35	110mm	m/ft	2,5kg	
18mm	2	9"	S35	110mm	ft	1,7kg	
21mm	2	0,25m	S35	110mm	m/ft	2kg	
25mm	2	9"	S35	110mm	ft	1,6kg	
27mm	2	0,25m	S35	110mm	m/ft	1,6kg	
32mm	2	12"	S35	110mm	ft	1,8kg	
35mm	2	0,35m	S35	110mm	m/ft	1,9kg	
40mm	2	16"	S35	110mm	ft	2kg	
50mm	2	0,55m	S35	110mm	m/ft	1,6kg	
65mm	2	0,65m	FF	110mm	m/ft	1,6kg	
75mm	2	0,8m	FF	110mm	m/ft	2kg	
100mm	2	3'	FF	110mm	ft	2,2kg	
135mm	2	2,9"	FF	110mm	ft	2,5kg	
150mm	2	1,1m	FF	125mm	m/ft	3,5kg	
180mm	2	1,3m	FF	136mm	m/ft	4,4kg	
Cooke 7/i							
25mm	2	14"	FF	110mm	m/ft	3.3kg	189mm
32mm	2	14"	FF	110mm	m/ft	3.4kg	189mm
40mm	2	18"	FF	110mm	m/ft	3.5kg	189mm
50mm	2	20"	FF	110mm	m/ft	3.4kg	189mm
75mm	2	19"	FF	110mm	m/ft	3.0kg	189mm
100mm	2	2'6"	FF	110mm	m/ft	3.3kg	189mm
135mm	2	3'3"	FF	110mm	m/ft	3.7kg	189mm

LITES nv**www.lites.be****+32 2 254 88 00****COOKE**

Focal	diaf	MOD	Image Circle	Front diam	Scale	Weight	Lenght
Cooke mini S4 Speed Panchros 8x							
18mm	2,8	0,25m	S35	110mm	m	1,3kg	
25mm	2,8	0,25m	S35	87mm	m	1,9kg	
32mm	2,8	0,3m	S35	87mm	m	1,7kg	
40mm	2,8	0,4m	S35	87mm	m	1,8kg	
50mm	2,8	0,5m	S35	87mm	m	1,5kg	
75mm	2,8	0,75m	S35	87mm	m	1,6kg	
100mm	2,8	0,9m	S35	87mm	m	1,6kg	
135mm	2,8	1m	S35	87mm	m	1,8kg	
Cooke S3 TLS							
18mm	2.2	8"/0,2	S35	110mm	ft	0.905	
25mm	2.2	7"/0,18	S35	110mm	ft	0.97	
32mm	2.3	9"/0,23	S35	110mm	ft	0.932	
40mm	2.3	13"/0,33	S35	110mm	ft	0.958	
50mm	2.3	15"/0,38	FF	110mm	ft	1.116	
75mm	2.3	2'4"/0,71	FF	110mm	ft	1.358	
100mm	2.8	2'/0,61	S35	110mm	ft	1.906	

LITES nv**www.lites.be****+32 2 254 88 00****LEICA 1**

Focal	diaf	MOD	Image Circle	Front	Scale	Weight	Lenght
LEICA SUMMILUX-C 24x							
16mm	1.4	1'4"	S35	95mm	ft		
18mm	1.4	1'2"	S35	95mm	ft	1.316	
21mm	1.4	1'	S35	95mm	ft		
25mm	1.4	1'	S35	95mm	ft		
29mm	1.4	1'6"	S35	95mm	ft		
35mm	1.4	1'6"	S35	95mm	ft		
40mm	1.4	1'6"	FF	95mm	ft		
50mm	1.4	1'8"	FF	95mm	ft		
65mm	1.4	1'5"	FF	95mm	ft		
75mm	1.4	2'6"	FF	95mm	ft		
100mm	1.4	2'11"	FF	95mm	ft		
135mm	1.4	4'1"	FF	114mm	ft		
LEICA Summicron 20x							
18mm	2	1'	S35	95mm	ft/m		
21mm	2		S35	95mm	m		
25mm	2	1'	S35	95mm	ft/m		
29mm	2		S35	95mm	m		
35mm	2	1'2"	S35	95mm	ft/m		
40mm	2		S35	95mm	m		
50mm	2	2'	S35	95mm	ft/m		
75mm	2		S35	95mm	m		
100mm	2	3'4"	S35	95mm	ft/m		
135mm	2		S35	95mm	m		

LITES nv**www.lites.be****+32 2 254 88 00****Leica 2**

Focal	diaf	MOD	Image Circle	Front	Scale	Weight	Lenght
LEICA Van Diemen 8x							
15mm	3.9	0,16m	FF+	85mm	M	1.145	
19mm	3	0,31m	FF+	80mm	M	0.782	
24mm	3	0,18m	S35	100mm	M	1.085	
35mm	1.6	0,24m	S35	80mm	M	1.335	
50mm	1.6	0,35m	S35	80mm	M	1.195	
75mm	1.6	0,45m	FF+	80mm	M	1.2	
100mmMAK	3	0,38m	FF	85mm	M	1.985	
135mmMAK	3	0,59m	S35	85mm	M	2	
LEICA R CINESCOPE by TLS							
19mm Elmarit	2.9	9"	FF	110mm	ft	1kg	
24mm elmarit	2.9	12"	FF	110mm	ft	0,8kg	
28mm Elmarit	2.9	8"	FF+	110mm	ft	0,9kg	
35mm Summilux	1.5			110mm	ft	1,4kg	
50mm Summilux	1.5	17"	FF+	110mm	ft	1kg	
80mm Summilux	1.5	2'2"	FF+	110mm	ft	1,5kg	
135mm Elmarit	2.9	3'4"	FF+	110mm	ft	1,57kg	
60mm Makro elmarit	2.9	10,6"	FF	110mm	ft	1,44kg	
100mm Makkro Elmarit	2.9	17"	FF+	110mm	ft	1,92kg	
LEICA summilux - M 0.8							
21mm	1.4	0.7m	FF	80mm	M		
24mm	1.4	0.7m	FF	80mm	M		
28mm	1.4	0.7m	FF	80mm	M		
35mm	1.4	0.7m	FF	80mm	M		
50mm	0.95	1m	FF	80mm	M		
LEICA THALIA							
24mm	3.6	0,2m	FF	85mm	M/ft	1,42	
30mm	2.9	0,5m	FF	95mm	M/ft	1,50	
35mm	2.6	0.55m	FF	95mm	M/ft	1,40	
45mm	2.9	0,6m	FF	95mm	M/ft	1,46	
55mm	2.8	0,3m	FF	95mm	M/ft	1,64	
70mm	2.6	0,5m	FF	95mm	M/ft	1,06	
100mm	2.2	0,7m	FF	95mm	M/ft	1,16	
120mm	2.6	0,57m	FF	95mm	M/ft	1,66	
180mm	3.6	1,5m	FF	95mm	M/ft	1,62	

LITES nv**www.lites.be****+32 2 254 88 00****16mm FIX FOCALS @ LITES**

Focal	diaf	MOD	Image Circle	Front Diam	Scale	Weight	Lenght
ULTRA PRIMES 9x							
6mm G	1.3	0,2m		95mm	m		
8mm H	1.3	0,3m		95mm	m		
9,5mm NP	1.3	0,3m		95mm	m		
12mm LN	1.3	0,3m		95mm	m		
14mm N	1.3	0,3m		95mm	m		
18mm NP	1.3	0,3m		95mm	m		
25mm S	1.3	0,3m		95mm	m		
35mm LN	1.3	0,35m		95mm	m		
50mm S	1.3	0,4m		95mm	m		
Optex							
Optex 8mm	1.8	0,4m		90mm	m		

LITES nv		www.lites.be		+32 2 254 88 00			
SPHERICAL ZOOMLENSES							
mm	diaf	MOD	Image Circle	front diam	Scale	weight	length
Arri Alura							
18-80mm	2.6	0,7m	S35	134mm	m/ft	4.5	285mm
30-80mm	2.8	0,6m	S35	114mm	m/ft	2.5	225mm
15,5-45mm	2.6	0,45m	S35	114mm	m/ft	2	225mm
Angenieux							
Optimo 15-40	2.6	2ft	S35	114mm	ft	2,0kg	186mm
Optimo 28-76	2.6	2ft	?	114mm	ft	2,0kg	186mm
Optimo 17-80	2.2	0,61m	S35	136mm	m	5,5kg	326mm
Optimo 24-290	2.8	4'	S35	162mm	m/ft	11,6kg	440mm
Optimo 45-120	2.8	3'1"	S35	114mm	ft	1,95kg	203mm
Ang 25-250 Optimo Style	3.5	4'	S35	136mm	ft	9,2kg	383mm
Ang 25-250 HR	3.5	5'7"	?	136mm	ft/m		300mm
Ang EZ-1 30-90 S35	2	2ft	S35	114mm	ft	2,15kg	226mm
Ang EZ-1 45-135 FF	3	2ft	FF	114mm	ft	2,05kg	226mm
Ang EZ-2 15-40 S35	2	2ft	S35	114mm	ft	2,12kg	210mm
Ang EZ-2 22-60 FF	3	2ft	FF	114mm	ft	2,07kg	210mm
Fujinon zoom							
Cabrio 19-90	2.9	2,1ft	S35	114mm	ft		230mm
Zeiss LWZ 2							
Zeiss LWZ 2 15,5-45	2.6	0,45m	?	114mm	m/ft		210mm
Hawk zoom							
Hawk 150-450	2.8	10ft	?		ft	16kg	
Canon Zoom							
Canon 17mm-120mm	2.95	0,85m/2'8"	S35	114mm	m/ft		260mm
GL OPTIX							
GL 70-200 CA3MK1	2.8	1,5m	FF+	114mm	m	3kg	
GL 18-35 SS zoom	2	0,28m	S35	95mm	m	1,2kg	119mm
GL 11-16mm	3	0.3m		95mm	m		
TLS NIKON zoom							
TLS Nikon Aurora 24-70	2.8	16"	FF	110mm	ft	2kg	170mm
TLS Nikon Morpheus 80-200	2.8	5ft	FF	110mm	m	2kg	187mm

LITES nv**www.lites.be****+32 2 254 88 00****Other GLASSES**

Focal	diaf	MOD	Image Circle	front diam	Scale	Weight	Lenght
Canon							
18mm K35	2.8	1ft	S35	95mm	ft		
24mm K35	1.4	1ft	FF	80mm	ft		
35mm K35	1.4	1ft	FF	80mm	ft		
55mm K35	1.4	2ft	FF	80mm	ft		
85mm K35	1.4	3ft	FF	80mm	ft		
200mm K35	2.8				ft/m		
Canon 300/600	2.8	3m	S35	125mm	m/ft		
Sigma							
20mm	1.5	0,27m	FF	95mm	m	1,24kg	110mm
135mm			FF		m		
Kowa Cine Prominar spherical by TLS							
15mm	4	1ft	35	125mm	ft		
Super Baltar Lenses by TLS							
20mm	2,3	18"	S35	110mm	ft		
25mm	2,3	1 1/2 ft	35	110mm	ft		
35mm	2,3	18"	S35	110mm	ft		
50mm	2,3	18"	S35	110mm	ft		
75mm	2,3	22"	FF+	110mm	ft		
100mm	2,3	4ft	FF+	110mm	ft		
152mm	3	6ft	FF+	110mm	ft		
RED LENSES							
18mm	1,8	0,33m	S35	110mm	m		
25mm	1,8	0,31m	S35	110mm	m		
35mm	1,8	0,31m	S35	110mm	m		
50mm	1,8	0,31m	S35	110mm	m		
85mm	1,8	0,61m	FF	110mm	m		
100mm	1,8	0,77m	FF	110mm	m		
300mm	2,8	8 ft		117,4mm	FEET		
RANGE EXTENDERS							
Century 2x							
P&S 2x							
IBE 2x							
IBE 1.4x							
IBE UMS PL VVx2							
IBE UMS Velociter x0,8							
Optimo 1,4x							

LITES nv		www.lites.be		+32 2 254 88 00			
ANAMORPHIC FIX FOCALS							
mm	diaf	MOD	Image Circle	front diam.	m/ft	weight	lenght
Hawk C-series							
35mm	2.2	3+1/2 ft	S35	142mm	ft	4,5kg	
50mm	2.2	3+1/2 ft	S35	110mm	ft	2,2kg	
75mm	2.2	3+1/2 ft	S35	110mm	ft	2,6kg	
100mm	3	3+1/2 ft	S35	110mm	ft	2,9kg	
Hawk V-series							
35mm	2.2	2,6 ft	S35	156mm	ft / m	5,6kg	
40mm	2.2	2,6 ft	S35	156mm	ft / m	6,2kg	
50mm	2.2	2 ft	S35	125mm	ft / m	3,7kg	
75mm	2.2	2 ft	S35	125mm	ft / m	4,6kg	
100mm	2.2	3,6ft	S35	125mm	ft / m	6,6kg	
135mm	3	3,6ft	S35	125mm	ft	6,3kg	
180mm	3	6,6ft	S35	142mm	ft / m	7,5kg	
250mm	3	6,6ft	S35	142mm	ft / m	7,8kg	
HAWK V-Lite							
28mm	2.2	2+3/4	S35	120mm	ft	2,3kg	
35mm	2.2	3+1/2	S35	120mm	ft	2,9kg	
45mm	2.2	3+1/2	S35	104mm	ft	1,9kg	
55mm	2.2	3+1/2	S35	104mm	ft	2kg	
80mm	2.2	3+1/2	S35	104mm	ft	2,3kg	
110mm	3	3+1/2	S35	104mm	ft	2,6kg	
MASTER ANAMORPHIC							
28mm	1.9	2ft3"	S35	114mm	m/ft	2.6kg	
35mm	1.9	0,75m	S35	95mm	m/ft	2,6kg	
40mm	1.9	0,70m	S35	95mm	m/ft	2,7kg	
50mm	1.9	0,75m	S35	95mm	m/ft	2,6kg	
60mm	1.9	0,90m	S35	95mm	m/ft	2,7kg	
75mm	1.9	0,90m	S35	95mm	m/ft	2,6kg	
100mm	1.9	0,95m	S35	95mm	m/ft	3,1kg	
135mm	1.9	1.2m	S35	95mm	m/ft		
180mm	2.8	1.5m	S35	95mm	m/ft		
COOKE ANAMORPHIC / i							
25mm	2.3	3'	S35	136mm	ft	2.7kg	
32mm	2.3	2'9"	S35	110mm	ft	2,7kg	
40mm	2.3	2'9"	S35	110mm	ft	2,9kg	
50mm	2.3	2'9"	S35	110mm	ft	2,7kg	
65mm MAKRO	2.6	1'6"	S35	136mm	ft	zwaar	
75mm	2.3	3'3"	S35	110mm	ft	2,6kg	
100mm	2.3	3'9"	S35	110mm	ft	2,9kg	
135mm	2.3	5'	S35	110mm	ft	3.2kg	
180mm	2.8	6'6"	S35	110mm	ft		
COOKE ANAMORPHIC SF							
25mm	2.3	3'	S35	110mm	ft		
32mm	2.3	2'9"	S35	110mm	ft		
50mm	2.3	2'9"	S35	110mm	ft		
75mm	2.3	3'3"	S35	110mm	ft		
100mm	2.3	3'9"	S35	110mm	ft		
ATLAS LENS CO. ORION SERIES							
32mm	2		S35	114mm	ft		
40mm	2	2'	S35	114mm	ft	2,2kg	
50mm	2		S35	114mm	ft		
65mm	2	2' 3/4	S35	114mm	ft	2,2kg	
80mm	2		S35	114mm	ft		
100mm	2	3' 1/2"	S35	114mm	ft	3kg	

LITES nv**www.lites.be****+32 2 254 88 00****ANAMORPHIC ZOOMLENSES**

mm	diaf	MOD	Image circle	front diam.	Scale	weight	Lenght
Angenieux							
56-152	4	2'1"		114mm	ft	2,2kg	
30-72				114mm	ft		
Arri							
19-36	4.2	2ft		114mm	ft	5,5kg	
Cooke							
35-140	3.1	4ft	33.54mm	136mm	ft	11,2kg	430mm
Lomo							
100-300	2	1.2m	33		m	6kg	280mm
with anam. back adapter							
Angenieux 50-500			S35	136mm	m/ft		340mm
Optimo 48-580		4"	S35	162mm	m/ft	11,7kg	480mm

LITES nv**www.lites.be****+32 2 254 88 00****MACRO LENSES**

Focaal	diaf	MOD	image circle	Front diam	Scale	Weight	Lenght
MASTER PRIME MACRO							
100mm	2	n / 1:1 / +2,3 s	S35 - FF	114mm	m	2,8kg	
COMPACT PRIMES							
50mm R Macro CP2	2.1	0,24m	FF	114mm	m		no
ARRI MACRO'Swith automatic exposure compensation							
16mm	2.8	0,15m / 1:4	35	80mm			
24mm	2.8	0,18m / 1:4	S35	80mm			
32mm	2.8	0,21m / 1:4	35	80mm			
40mm	2.8	0,25m / 1:4	S35	80mm		0,8kg	
50mm	2.8	0,2m / 1:1	S35	80mm			
LAOWA							
24mm	14	0.45m	FF+		EF MOUNT		
24mm	14	0.45m	FF+		PL MOUNT		
Leica MACRO							
100mmMAK	3	0,38m	S35	80mm	M	1.985	
135mmMAK	3	0,59m	S35	80mm	M	2	
60mm Leica R Makro	2.9	10,6"	FF	110mm	ft		
100mm Leica R Makro	2.9	17"	FF+	110mm	ft		
IBE Raptor MACRO							
100mm	2.9	0,31m	FF+	95mm	m/ft	1,55kg	
150mm	2.9	0,38m	FF+	95mm	m/ft	1,76kg	
180mm	2.9	0,47m	FF+	95mm	m/ft	2,48kg	
ANAMORPHIC MACRO							
Cooke 65 Anamorphic	2.3	18"	S35	136mm	ft	5,5kg	